


		Trade Ex GST	RRP Inc GST
Part #	Product Description		
			
<b>Amplifiers, Mixer - IC Series</b>			
IC30	Mixer amplifier. 30 watt. 3 dual bal mic/line input. 100v, 70v, 4 ohms. 240 VAC, 12 VDC. Rack mount with IC30RMK	204.00	264.00
<b>Amplifiers, Mixer - AMC Series</b>			
AMC30+	Mixer amplifier. 30 watts. 4 x dual bal mic/line inputs. 100v, 4 ohm. 230 VAC. 2 X RU with Phantom Power	242.00	314.00
AMC60+	Mixer amplifier. 60 watts. 4 x dual bal mic/line inputs. 100v, 4 ohm. 230 VAC. 2 X RU with Phantom Power	353.00	457.00
AMC120+	Mixer amplifier. 120 watts. 4 x dual bal mic/line inputs. 100v, 4 ohm. 230 VAC. 2 X RU with Phantom Power	384.00	496.00
AMC250+	Mixer amplifier. 250 watts. 4 x dual bal mic/line inputs. 100v, 4 ohm. 230 VAC. 2 X RU with Phantom Power	635.00	828.00
***From November/December 2008, the AMC's will become AMC+. With 4 inputs, phantom power and all round better performance, its worth noting***			
<b>Amplifiers, Mixer - AMIS Series</b>			
AMIS60	Mixer amplifier. 60 watt. 4 x dual bal mic/line inputs. 100 & 70v, 4 & 8 ohm. 240 VAC, 24 VDC. 2 x RU	476.00	622.00
AMIS120	Mixer amplifier. 120 watt. 4 x dual bal mic/line inputs. 100 & 70v, 4 & 8 ohm. 240 VAC, 24 VDC. 2 x RU	545.00	712.00
AMIS120XL	Mixer amplifier. 120 watt. 8 x dual bal mic/line inputs. 100 & 70v, 4 & 8 ohm. 240 VAC, 24 VDC. 2 x RU	709.00	928.00
AMIS250	Mixer amplifier. 250 watt. 6 x dual balanced mic/line inputs. 100 & 70v, 4 ohm. 240 VAC, 24 VDC. 2 x RU	823.00	1,235.00
***From January 2009, the AMIS60 and AMIS120 will feature 6 inputs for the same money!***			
<b>Amplifiers, Power - AMIS &amp; DCM Series</b>			
AMC120P	Power amplifier. 120 watt. 100 & 70v, 4 & 8 ohm. 240 VAC, 2 x RU (Available December)	382.00	499.00
AMC250P	Power amplifier. 250 watt. 100 & 70v, 8 ohm. 240 VAC, 2 x RU (Available December)	610.00	795.00
AMIS120P	Power amplifier. 120 watt. 100 & 70v, 4 & 8 ohm. 240 VAC, 24 VDC. 2 x RU	430.00	562.00
AMIS1202P	Power amplifier. 2 x 120 watt. 100 & 70v, 4 & 8 ohm. 240 VAC, 24 VDC. 2 x RU	759.00	995.00
AMIS250P	Power amplifier. 250 watt. 100 & 70v, 8 ohm. 240 VAC, 24 VDC. 2 x RU	705.00	920.00
AMIS480P	Power amplifier. 4 x 80 watts. 100 & 70v, 4 ohm. 230 VAC, 24 VDC	1,267.00	1,655.00
DCM500	Power amplifier. 500 watt. 100 & 70v, 4 ohm. 240 VAC, 24 VDC. 2 x RU	1,116.00	1,459.00
<b>XA Series Power Amplifiers</b>			
(XA Series due in November 2008)			
XA1000	Power amplifier. 2 x 200 watts @ 8 ohms, 2 x 300 watts @ 4 ohms, 2 x 500watts @ 2 ohms. 2 x RU 7.5kg	505.00	662.00
XA1400	Power amplifier. 2 x 300 watts @ 8 ohms, 2 x 500 watts @ 4 ohms, 2 x 700watts @ 2 ohms. 2 x RU 8.5kg	635.00	829.00
(New AM NG Series Power Amplifiers also available. See AMPro section below)			
<b>Amplifier Accessories</b>			
ATC5488	Tone generator. Bell, Pre Announce. Alert & Evacuate to AS1670	43.00	56.00
IC30RMK	Rack mount kit for the IC30 amplifier	9.00	13.00
RC1	Attenuator. Clipsal 2000 style wall plate/volume control, 500 K Ohms. Suits AMIS60, AMIS120, AMIS120XL, AMIS250, MX Mixers	51.00	66.00
TX3010	Module. Voice operated mute module for IC30	25.00	34.00
<b>Attenuators</b>			
ATC25SVC	Attenuator. 25 watt, 10 step, 100 volt line TX on stainless steel plate	32.00	42.00
ATC25WVC	Attenuator. 25 watt, 10 step, 100 volt line TX on white plate	32.00	42.00
ATC50SVC	Attenuator. 50 watt, 10 step, 100 volt line TX on stainless steel plate	36.00	48.00
ATC50WVC	Attenuator. 50 watt, 10 step, 100 volt line TX on white plate	36.00	48.00
ATC75SVC	Attenuator. 75 watt, 10 step, 100 volt line TX on stainless steel plate	47.00	61.00
ATC75WVC	Attenuator. 75 watt, 10 step, 100 volt line TX on white plate	47.00	61.00
ATC100WVC	Attenuator. 100 watt, 10 step, 100 volt line TX on white plate	54.00	69.00
ATC5143	Attenuator. 25 watt, 10 step, 100 volt line TX on white anodized plate, c/w 24 V relay bypass	37.00	48.00
ATC5143FS	Attenuator. ATC5143 c/w 24 V relay bypass, operation in 'failsafe' mode	54.00	69.00
VC6100	Attenuator. 6 x 100 watt 100 volt atten on a 2 RU black 19" panel. C/w relay bypass. Black	387.00	489.00
VC635	Attenuator. 6 x 35 watt 100 volt atten on a 2 RU black 19" panel. C/w relay bypass. Black	282.00	366.00
ATC8100	Attenuator. Mono/Stereo attenuator, 8 ohm, 100 watts RMS (per channel)	103.00	132.00
<b>Distribution Amplifiers</b>			
AMIS26	Distribution Amplifier. 2 x 6. 1 x RU	335.00	434.00

<b>General Audio Accessories</b>			
<b>Headsets, Headphones &amp; Listening Systems</b>			
<b>ATCMH1</b>	Headphone, mono/stereo, economy	19.00	25.00
<b>ATCGLC8</b>	Group listening centre, 8 way c/w volume controls	30.00	40.00
<b>GLCBOX</b>	Carry / storage case, plastic, for ATCMH1 and listening centers	14.00	15.00
<b>IP111</b>	Transmitter. Dual channel infrared transmitter	1,334.00	1,726.00
<b>IP112</b>	Receiver. Dual channel infrared headset receiver	79.00	102.00
<b>LH075</b>	Headset. Utility headset c/w boom microphone	99.00	128.00
<b>LH075A</b>	Headset. Fitted with 4 pin XLR	106.00	138.00
<b>Loudhailers</b>			
<b>LH25</b>	Loudhailer. 25 watts. Includes siren tone generator	117.00	151.00
<b>LH25SS</b>	Loudhailer. 25 watts. C/w detachable fist mic & shoulder strap. Includes siren tone generator	132.00	172.00
<b>Stands &amp; Mounting Accessories</b>			
<b>AVL6304</b>	Desk stand. Heavy duty base c/w XLR mic connect and XLR cable connect.	92.00	121.00
<b>AMISLB1</b>	Speaker wall bracket. Pole mount style. Suits 35 mm pole mount	102.00	132.00
<b>ATC1250</b>	Microphone clip, spring loaded	2.34	3.02
<b>ATC1260</b>	Microphone clip, rubber type	3.85	4.99
<b>ATC6GNB</b>	Gooseneck. 15cm, Black, XLR-F-XLRM	11.24	14.60
<b>ATC12GNB</b>	Gooseneck. 30cm, Black, XLR-F-XLRM	11.87	15.44
<b>ATC19GNB</b>	Gooseneck. 50cm, Black, XLR-F-XLRM	16.00	21.00
<b>ATC101</b>	Microphone stand. Mini tripod, black, non telescopic. Includes boom arm	37.00	48.00
<b>ATC203</b>	Microphone stand. Floor tripod, telescopic, black, 93-163 cm. Inc telescopic boom arm	36.00	45.00
<b>ATC303</b>	Speaker stand. Heavy duty, 101-178cm. Suits 35mm adapter	59.00	77.00
<b>ATC304</b>	Speaker stand. Heavy duty, 125-300cm. Suits 35mm adapter. Up to 100Kg	107.00	138.00
<b>ATC305</b>	Stand. Winch-up. 80Kg max load. 125cm - 200cm. Suits 35mm adapter	147.00	190.00
<b>ATC310</b>	Pole adaptor, telescopic. 690mm - 1300mm. Suits 35mm adapter	29.00	39.00
<b>ATC401</b>	Stand. Desk type. 140mm	13.00	16.00
<b>ATC402</b>	Stand. Desk type. Telescopic. 350mm - 650mm	22.00	28.00
<b>ATC404</b>	Microphone stand. Floor, solid, round base, telescopic, black, 84-160 cm	42.00	54.00
<b>D91B</b>	Flange. 5/8-27 TPI female, black	4.00	5.00
<b>D9B</b>	Flange. 5/8-27 TPI male, black	4.00	5.00
<b>ATC9000</b>	Cable ties, Velcro	0.53	0.63
<b>ATC9111</b>	Carry bag for the ATC203 stand	9.00	13.00
<b>ATC9222</b>	Carry bag for the ATC303 stand	13.00	16.00
<b>Transformers</b>			
<b>46141S</b>	Transformer. 70 watt Tx, 100 volt. Tapps at 70, 60, 45, 30 watts, to 8, 4 ohm	30.00	39.00
<b>46145S</b>	Transformer. 50 watt Tx, 100 volt. Tapps at 50, 25, 10, watt to 8, 4 ohm	26.00	34.00
<b>ATC5006-6</b>	Transformer. 5 watt Tx, 100 volt. Tapps at 5, 2.5, 1, .5, .33 watt, to 8 ohm	6.00	8.00
<b>ATC5015A</b>	Transformer. 15 watt Tx, 100 volt. Tapps at 15, 10, 5, 2, .5 watt, to 8 ohm	22.00	28.00
<b>ATC5138</b>	Transformer. 55, 35, 20, 10 watts, 100 volt. High quality, toroidal. 4 & 8 ohm	113.00	146.00
<b>ATC5001</b>	Transformer. 200 watt toroidal	138.00	177.00
<b>Line Isolation Interface</b>			
<b>LTU1</b>	Line isolation unit c/w volume control, 3.5mm TS terminated	61.00	79.00
<b>Microphones</b>			
<b>Essential Series Microphones</b>			
<b>AMEMVOX</b>	Dynamic supercardioid vocal microphone with on/off switch.	67.00	87.00
<b>AMBMO</b>	Electret omnidirectional boundary microphone.	161.00	208.00
<b>AMBMU</b>	Electret unidirectional boundary microphone.	161.00	208.00
<b>AMDFM</b>	Dynamic fist microphone with PTT switch.	66.00	85.00
<b>AMEMCHOIR</b>	Electret cardioid choir microphone. Available in black or white	106.00	138.00
<b>AMGNDS</b>	Dynamic supercardioid gooseneck microphone with on/off switch.	68.00	87.00
<b>AMGNELEC</b>	Electret cardioid gooseneck microphone.	93.00	121.00
<b>AMGNHDM</b>	Heavy duty dynamic supercardioid supermarket style microphone with momentary switch.	128.00	166.00
<b>Premium Series Microphones</b>			
<b>AMPMBASS</b>	High quality dynamic supercardioid bass/kick drum microphone.	201.00	259.00
<b>AMPMCOND</b>	High quality electret supercardioid microphone.	93.00	121.00
<b>AMPMINST</b>	High quality dynamic supercardioid instrument microphone.	112.00	145.00
<b>AMPMVOX</b>	High quality dynamic supercardioid vocal microphone.	111.00	145.00
<b>Desktop</b>			
<b>AMX526</b>	Microphone. Heavy duty, g/neck desk style, base c/w on/off/lock switch, 200 ohm, XLR3M	72.00	95.00

<b>Headworn</b>			
<b>ATC619S</b>	Microphone, head worn, mini XLR4F to suit Mipro belt packs.	82.00	106.00
<b>Wall Mount</b>			
<b>AMX100WP</b>	Microphone. Flush wall mounting microphone without switch, 200 ohm	101.00	131.00
<b>AMX100WPS</b>	Microphone. Flush wall mounting microphone with switch, 200 ohm	111.00	145.00
<b>Mixers, PA</b>			
<b>AMC-MIX</b>	3 balanced mic/dual RCA line input Mono Mixer. 1 RU	200.00	259.00
<b>MX61</b>	Mixer. 6 dual balanced mic/line inputs. 240 VAC, 24 VDC. 1 RU	349.00	452.00
<b>MX81</b>	Mixer. 8 chnl with 6 line/active bal mic inputs & 2 mic-only inputs. 240VAC, 24 VDC. 1 RU	457.00	591.00
<b>MX82</b>	Mixer. 8 chnl stereo mic/line, direct outs. 4 mic/line & 4 stereo line inputs. 240 VAC, 24 VDC. 1 RU	617.00	800.00
<b>MX883</b>	8 channel stereo mixer. 8 stereo or XLR balanced inputs. Individually switchable phantom power, +/- 15dB gain trim, XLR switchable between mic/line level, stereo RCA in, line level direct outputs. Separate auxiliary output, 5-band constant Q graphic EQ. 2RU.	1,049.00	1,358.00
<b>***From Jan/Feb 2009, the AMC-Mix will become the AMC-Mix+. With 4 inputs and phantom power***</b>			
<b>Mixers - PA Accessories</b>			
<b>AMMUTE1</b>	Single stage priority module for the MX mixer range	22.00	28.00
<b>AMMUTE3</b>	Mute module. Input 1 over inputs 2&3, input 2 over input 3. Suits MX61, MX81	65.00	84.00
<b>AMTONE</b>	Tone module. Suits MX61, MX81	90.00	117.00
<b>AMTONE1</b>	Simple Alert, Evac, pre announce & bell tone module for the MX series mixers complies with AS1670	77.00	100.00
<b>AMVCA</b>	VCA module. Suits MX61, MX81	42.00	54.00
<b>ATC5488</b>	Tone generator. Bell, Pre Announce. Alert & Evacuate to AS1670	43.00	56.00
<b>TX3010</b>	Module. Voice operated mute module for IC30	25.00	34.00
<b>RC1</b>	Attenuator. Clipsal 2000 style wall plate/volume control, 500 K Ohms. Suits AMIS60, AMIS120, AMIS120XL, AMIS250, TX8202	51.00	66.00
<b>Digital Message Announce, Program Sources &amp; Monitor Panel</b>			
<b>MY MUSIC</b>			
<b>MYM-DT</b>	Two independent AM/FM tuners in 1 RU.	309.00	399.00
<b>MYM-TC</b>	CD/MP3 player with USB port and an AM/FM tuner in 1 RU. Individual and priority outputs. Includes BGM2REM infrared remote for CD/MP3 player.	538.00	695.00
<b>MYM-DCD</b>	Two independent CD/MP3 players with USB ports in 1 RU.	658.00	853.00
<b>DMA1</b>	Digital message announcer. Supplied with 128MB memory card (supports up to 1GB). Plays mp3 files, on board play, FF, REW and stop controls with remote capability. Contact closure file replay triggers, RS485 control. Capacity of up to 255 messages, stereo in/out, onboard 20 watt per channel D class power amplifier.	739.00	957.00
<b>MP8</b>	Monitor panel. Monitors 8 x 100 volt programm lines. Includes signal present, select and level led's. 2 x RU	357.00	462.00
<b>Contractor Tools</b>			
<b>BUZZ OFF</b>	Dual channel hum eliminator. Featuring both balanced XLR and unbalanced RCA inputs and outputs per channel.	86.00	110.00
<b>DROP ME</b>	100V line converter. Converts a 100V line amplifier speaker output signal to a balanced line level signal. Phoenix connector input to balanced XLR output. Rear panel level control.	30.00	40.00
<b>GET DOWN</b>	Stereo converter. Converts line level balanced audio signal to unbalanced domestic level signal. Dual XLR inputs and stereo RCA outputs. Front panel level control.	62.23	81.34
<b>GET UP</b>	Stereo converter. Converts unbalanced domestic level signal to professional line level balanced audio. Stereo RCA inputs, dual balanced XLR outputs. Front panel level control.	62.23	81.34
<b>HA6</b>	1RU high quality stereo in to 6 out professional headphone amplifier. XLR, RCA	188.00	244.00
<b>INJECTOR</b>	Passive direct injection box. Features 6.35mm input to 6.35mm direct out and balanced XLR output. Ground lift switching and 3-stage pad offering up to 40dB of attenuation.	58.00	74.00
<b>JUICED UP</b>	Dual channel phantom power supply. Features balanced XLR inputs and outputs per channel. Operates via external power supply, or two on-board 9V batteries. Supplied 12VDC phantom power from batteries, and 40VDC from external power supply.	70.00	90.00
<b>LETS SPLIT L</b>	Line level splitter with balanced XLR line level input. Transformer balanced XLR output and thru XLR output. Ground lift switch.	53.00	70.00
<b>LETS SPLIT M</b>	Mic level splitter with balanced XLR mic level input. Transformer balanced XLR output and thru XLR output. Ground lift switch.	61.00	79.00
<b>MIXED UP</b>	4 channel passive mixer. Features 2 balanced XLR mic level inputs and 2 dual RCA line inputs to single balanced XLR output. Individual front panel level control per channel.	70.00	90.00
<b>MULTI CAN</b>	4 channel headphone amplifier. 6.35mm TRS, dual RCA and dual XLR stereo inputs to 6.35mm TRS headphone outputs. Individual output level controls per channel.	108.00	140.00
<b>PRE ME</b>	Microphone pre-amplifier. Dual RCA and balanced XLR input switchable between mic/line level. Offers +40VDC phantom power, switchable high-pass filter and balanced XLR output. Font panel gain control.	74.00	96.00
<b>ZONED OUT</b>	Six Zone Speaker Selector. One 100v line speaker input, six 100v line speaker outputs with push button switches	54.00	69.00

			
Racks & Panels			
<b>SRF10</b>	10 RU frame	189.00	244.00
<b>SRF18</b>	18 RU Frame	212.00	275.00
<b>SRF21</b>	21 RU frame	250.00	322.00
<b>SRPS10</b>	10 RU panel set (L, R & top). Includes fixings	103.00	134.00
<b>SRPS18</b>	18 RU panel set (L, R & top). Includes fixings	162.00	209.00
<b>SRPS21</b>	21 RU panel set (L, R & top). Includes fixings	176.00	228.00
<b>SRCD10</b>	10 RU clear door lockable	147.00	190.00
<b>SRCD18</b>	18 RU clear door lockable	221.00	286.00
<b>SRCD21</b>	21 RU clear door lockable	236.00	306.00
<b>SRBP</b>	Bottom panel. Includes fixings	35.00	45.00
<b>SR4WS</b>	4 wheel set - suits all SRF sizes	35.00	45.00
<b>SRNBW20</b>	20 piece cage nut, bolt & washer set	23.00	29.00
<b>SRVP1</b>	1 RU vent panel	11.00	13.00
<b>SRVP2</b>	2 RU vent panel	15.00	19.00
<b>SRBP1</b>	1 RU blank panel	8.00	11.00
<b>SRBP2</b>	2 RU blank panel	13.00	16.00
<b>SRBP3</b>	3 RU blank panel	15.00	19.00
<b>SRBP4</b>	4 RU blank panel	22.00	28.00
<b>SRSCC2</b>	2 RU security cover, clear	33.00	42.00
<b>SRSCP2</b>	2 RU security cover, metal perforated	29.00	37.00
<b>SRT1</b>	1 RU tray	40.00	53.00
<b>SRT2</b>	2 RU tray	49.00	64.00
<b>SRT3</b>	3 RU tray	61.00	79.00
<b>SRT4</b>	4 RU tray	71.00	92.00
<b>DR10</b>	Slanted 'L' frames (pair). 10 x RU desktop rack frame	17.00	21.00
Rack n' Roll Road Cases & Accessories			
<b>PROCESSOR SERIES</b>			
<b>RNR1P</b>	1RU processor rack. 6mm timber, 350mm deep sleeve, rear lid 160mm deep.	118.00	151.00
<b>RNR2P</b>	2RU processor rack. 6mm timber, 350mm deep sleeve.	146.00	190.00
<b>RNR3P</b>	3RU processor rack. 9mm timber, 350mm deep sleeve.	206.00	267.00
<b>RNR6P</b>	6RU processor rack. 9mm timber, 350mm deep sleeve.	221.00	286.00
<b>RNR6PS</b>	6RU sloped installation rack. 9mm timber, no doors or latches.	251.00	324.00
<b>RNR12PS</b>	12RU sloped installation rack. 9mm timber, no doors or latches.	295.00	382.00
<b>STANDARD RACK SERIES</b>			
<b>RNR2S</b>	2RU standard rack. 9mm timber, 490mm deep (rack strip to rack strip).	207.00	267.00
<b>RNR4S</b>	4RU standard rack. 9mm timber, 490mm deep (rack strip to rack strip).	222.00	286.00
<b>RNR6S</b>	6RU standard rack. 9mm timber, 490mm deep (rack strip to rack strip).	236.00	306.00
<b>RNR9S</b>	9RU standard rack. 9mm timber, 490mm deep (rack strip to rack strip).	265.00	343.00
<b>RNR12S</b>	12RU standard rack. 9mm timber, 490mm deep (rack strip to rack strip).	326.00	420.00
<b>RNR16S</b>	16RU standard rack. 9mm timber, 490mm deep (rack strip to rack strip).	384.00	497.00
<b>FLOATING RACK SERIES</b>			
<b>RNR9F</b>	9RU floating rack. 9mm timber, 490mm deep (rack strip to rack strip). c/w wheels	443.00	573.00
<b>RNR12F</b>	12RU floating rack. 9mm timber, 490mm deep (rack strip to rack strip). c/w wheels	517.00	669.00
<b>RNR16F</b>	16RU floating rack. 9mm timber, 490mm deep (rack strip to rack strip). c/w wheels	592.00	765.00
<b>MIXER SERIES</b>			
<b>RNR24MIX</b>	24 channel mixer roadcase. 9mm timber, to suit mixers up to 795 x 650 x 200mm	443.00	573.00
<b>RNR12MIX</b>	12 channel mixer roadcase. 9mm timber, to suit mixers up to 535 x 360 x 165mm	222.00	286.00
<b>RNRDJ</b>	DJ Mixer roadcase. Suits most scratch mixers (eg Rane TTM56)	169.00	218.00
<b>COMBINATION MIXER SERIES</b>			
<b>RNR2CM</b>	2RU combination mixer rack. 2RU rack with 11RU rack for mixer on top. 9mm timber, 500mm deep (rack strip to rack strip).	207.00	267.00
<b>RNR6CM</b>	6RU combination mixer rack. 6RU rack with 11RU rack for mixer on top. 9mm timber, 500mm deep (rack strip to rack strip).	296.00	382.00
<b>RNR12CM</b>	12RU combination mixer rack. 12RU rack with 11RU rack for mixer on top. 9mm timber, 500mm deep (rack strip to rack strip). Wheels fitted as standard.	370.00	478.00
<b>RNR16CM</b>	16RU combination mixer rack. 16RU rack with 11RU rack for mixer on top. 9mm timber, 500mm deep (rack strip to rack strip). Wheels fitted as standard.	428.00	554.00
<b>SPECIAL APPLICATION SERIES</b>			
<b>RNRCP1</b>	Cable packer roadcase. 9mm timber, 750 x 550 x 600mm, with 150mm lift-out tray. Wheels fitted as standard.	592.00	765.00
<b>RNRDC1</b>	Drawers case. 9mm timber, features 5 drawers, wide enough to suit most rackmount equipment. Wheels fitted as standard.	814.00	1,053.00
<b>RNRSC1</b>	Stands case. 12mm timber, 1250 x 500 x 310mm, 2 compartments.	561.00	727.00

<b>ACCESSORIES</b>			
<b>RNRWB</b>	Wheel board to suit Standard Rack Series.	69.00	80.00
<b>RNRLP</b>	Adhesive and erasable 'events style' label plate for labelling racks for different events	2.00	2.00
<b>RNRDR2U</b>	2 RU lockable rack drawer	89.00	106.00
<b>RNRDR3U</b>	3 RU lockable rack drawer	103.00	122.00
<b>Speakers, Horns &amp; Accessories</b>			
<b>Ceiling and In-Wall Speakers</b>			
<b>AM20CS</b>	New 2 way premium ceiling speaker, featuring sealed shallow 105mm metal back box, 100mm woofer & 19mm titanium horn loaded tweeter 100 volt tapings at 20, 10, 5 & 2.5 watts & 30 watt 16 ohm low Z, optional tile bridge available	106.00	138.00
<b>AM60CS</b>	New 2 way premium ceiling speaker, featuring sealed metal back box, 152mm woofer & 19mm titanium horn loaded tweeter 100 volt tapings at 60 30 15 & 7.5 watts & 60 watt 16 ohm low Z, c/w tile bridge	132.00	172.00
<b>ATC5010-6</b>	Speaker. 5 watt, 8", 8 ohm, c/w 100 V Tx. Tapps at 5, 2.5, 1, 0.5, .33 watt. Includes supervisory capacitor &	14.00	18.00
<b>ATC5101-6</b>	Speaker. 5 watt, 4", 8 ohm, c/w 100 V Tx. Tapps at 5, 2.5, 1, .5, .33 watt. Includes supervisory capacitor &	14.00	18.00
<b>QF5A</b>	Speaker. Quick-Fit, 5 watt high quality, 5" speaker & TX. Tapps at 5, 2.5, 1, 0.33 watts. C/w grill	32.00	41.00
<b>QF6</b>	Speaker. Quick-Fit, 5 watt high quality, 6.5" speaker & TX, capacitor and terminal strip. Tapps at 5, 2.5, 1, 0.33	37.00	48.00
<b>QF8</b>	Speaker. Quick-Fit, 15 watt high quality, 8" spkr & TX, capacitor and terminal strip. Tapps at 15, 10, 5, 2.5, 1.25	43.00	56.00
<b>QF8NG</b>	Speaker. 15 watt, 8", 8 ohm c/w 100 volt TX. Tapps at 15,10,5,2.5,1.25 watt	37.00	48.00
<b>QF8NGNT</b>	QF8NG speaker without transformer	22.00	28.00
<b>ATC5003-6</b>	Speaker 5 watt, 8 ohm, 4" (100mm) speaker	6.00	8.00
<b>ATC5008-6</b>	Speaker. 5 watt, 8 ohm, 8" (200mm) speaker	8.00	11.00
<b>IW5</b>	Speaker. 35 watt, 5" & tweeter, 8 ohm in-wall style speaker. Per each	40.00	50.00
<b>IW8</b>	Speaker. 50 watt, 8" & tweeter, 8 ohm in-wall style speaker. Per each	57.00	74.00
<b>Grills &amp; Mounts</b>			
<b>ATC5400</b>	Grill. Round, white, accepts 4" (100mm) speakers. Standard styrene. Includes screw hole covers	1.33	1.72
<b>ATC5401</b>	Grill. As for ATC5400 but in flame retardant compound	1.64	2.12
<b>ATC5402</b>	Covers. Spare pack of 80 screw/fastener covers for ATC5400/5800	12.71	16.49
<b>ATC5800</b>	Grill. Round, white, accepts 8" (200mm) speakers. Standard styrene. Includes screw hole covers	1.82	2.35
<b>ATC5801</b>	Grill. As for ATC5800 but in flame retardant compound	2.58	3.33
<b>ATP502</b>	Grill. Flush mount, metal, round, white grill for 4" (100mm) speaker	14.10	18.16
<b>ATP527</b>	Grill. Deluxe flush mount, white metal grill for 4" (100mm) speaker c/w spring mounting	22.00	28.00
<b>ATP817</b>	Grill. Deluxe flush mount, white metal grill for 8" (200mm) speaker c/w spring mounting	37.00	47.00
<b>ATPC2</b>	Grill. Plastic wall enclosure (ivory) for 8" (200mm) speaker	30.00	40.00
<b>FC8W</b>	Grill. Surface mount, square, white grill for 8" (200mm) speaker	45.00	59.00
<b>AM20CSTB</b>	Tile Bridge for AM20CS Ceiling Speaker. Tile bridge priced and sold per pair	18.00	24.00
<b>Horns &amp; Drivers</b>			
<b>ATC10</b>	Horn. 10 watt. 100 volt Tapps at 10, 5, 2.5, 1.25. Also 8 ohms. Includes supervisory capacitor	42.00	54.00
<b>ATC15</b>	Horn. 15 watt, 100 V line @ 15, 7.5, 3.75, 1.87 watts & 8 ohms. Includes capacitor. IP66 rated	88.00	113.00
<b>ATC30</b>	Horn. 30 watt, 100 V line @ 30, 15, 7.7, 4 watts & 8 ohms. Includes capacitor. IP66 rated	103.00	132.00
<b>MH30</b>	Music Horn. 30 watts @ 100 volt. Tapps 30, 15 or 7.5W. IP46 rated	114.00	148.00
<b>MPH5300</b>	Horn. 30 watt, 100 volt IP66 rated weatherproof. Tapps at 30, 15, 7.5 watts.	113.00	146.00
<b>MPH5301C</b>	As per MPH5300 but c/w supervisory capacitor	120.00	153.00
<b>H16</b>	Horn flare. Circular aluminum, 41 cm dia, use with HD35, HD60 or HD358	82.00	106.00
<b>HK16</b>	Horn flare. Rectangular ABS flare, 42x36 cm, use with HD35, HD60 or HD358	93.00	122.00
<b>HD35</b>	Driver for horn flare. 35 watts, 100 v. 30, 20, 10 watt tapps. Use with H16 or HK16	76.00	98.00
<b>HD358</b>	Driver for horn flare. 35 watts, 16 Ohms. Use with H16 or HK16	39.00	50.00
<b>HD60</b>	Driver for horn flare. 60 watts, 100v. 60, 40, 20 watt tapps. Use with H16 or HK16	97.00	126.00
<b>Speakers Enclosures &amp; Columns</b>			
<b>AM20CS</b>	New 2 way premium ceiling speaker, featuring sealed shallow 105mm metal back box, 100mm woofer & 19mm titanium horn loaded tweeter 100 volt tapings at 20, 10, 5 & 2.5 watts & 30 watt 16 ohm low Z, optional tile bridge available	106.00	138.00
<b>AM60CS</b>	New 2 way premium ceiling speaker, featuring sealed metal back box, 152mm woofer & 19mm titanium horn loaded tweeter 100 volt tapings at 60 30 15 & 7.5 watts & 60 watt 16 ohm low Z, c/w tile bridge	132.00	172.00
<b>AM20CSTB</b>	Tile Bridge for AM20CS Ceiling Speaker. Tile bridge priced and sold per pair	18.00	24.00
<b>ATC5404</b>	Surface mount speaker/grill assembly. Includes surface mount, ATC5101-6 4" Spkr & Tx and ATC5400 grill	37.00	48.00
<b>CS210</b>	Sound column. 10 watts, 100 V & 8 ohm. White c/w bracket. Indoor/outdoor, IP66 rating	284.00	368.00
<b>CS420</b>	Sound column. 20 watts, 100 V & 4 ohm. White c/w bracket. Indoor/outdoor, IP66 rating	398.00	516.00
<b>ENVIRO5</b>	Speaker. 30W @100V & 8 ohms. IPX5 weatherproof rating. Per each. B or W c/w bracket	257.00	333.00
<b>INSTAL10</b>	Speaker. 10, 7.5, 5, 2.5 watts @ 100 V, 8 ohms. c/w brackets. Black or White. Per Pair	98.00	127.00
<b>INSTAL30</b>	Speaker. 30, 15, 7.5 watts @ 100 V, 8 ohms. c/w brackets. Black or White. Per Pair	141.00	183.00
<b>INSTAL50</b>	Speaker. 50, 25, 12.5 watts @ 100 V, 8 ohms. c/w brackets. Black or white. Per Pair	284.00	368.00
<b>SYSTEM2</b>	Dual horn and stand kit. Includes 2 x HK16, 2 x HD358, 2 x ATC303 and all cables and connectors	536.00	694.00
<b>WCMS</b>	Wall-mount speaker, 5" including capacitor + bypass attenuator 5, 2.5, 1, 0.5, 0.33 watts.	56.00	72.00

<b>Zoning Solutions &amp; Accessories</b>			
<b>DigiPage</b>			
<b>DIGIPAGE</b>	Paging matrix. 8x8 zone, expandable to 16x16. Cat5 cable topography	2,039.00	2,638.00
<b>DP8M</b>	Microphone, 8 zone to suit DigiPage	380.00	491.00
<b>DP16M</b>	Microphone, 16 zone to suit two linked DigiPage	427.00	552.00
<b>DPRM</b>	Remote source & vol control for DigiPage. Avail in black or white. Note: <u>not</u> compatible with DigiPageJr.	116.00	150.00
<b>DigiPageJr</b>			
<b>DIGIPAGEJR</b>	Paging matrix. 8 zone. Cat5 cable topography. Use with DPJr8M	1,184.00	1,532.00
<b>DPJR8M</b>	Microphone, 8 zone to suit DigiPageJr	380.00	491.00
<b>DPJR16M</b>	Microphone, 16 zone to suit two linked DigiPageJr	427.00	552.00
<b>ZoneMix3</b>			
<b>ZONEMIX3</b>	Zone mixer. High spec stereo. 4 stereo & 2 mic/line inputs, 3 stereo zones. 5 stage Eq per zone.	1,184.00	1,532.00
<b>ZM3M</b>	Microphone. 3 zone for ZoneMix3	280.00	362.00
<b>ZM3R</b>	Program & Volume selector for ZoneMix3	64.00	82.00
<b>ZRM4</b>			
<b>ZRM4</b>	Zone routing mixer. 6 dual mic/line inputs to any combination of 4 outputs. 1 x RU	739.00	957.00
<b>Zoner16</b>			
<b>ZONER16</b>	16 zone 100 v line output switcher. Remote paging facility, BGM zone enable buttons, LED indication per active zone, zone logic output, separate BGM and paging inputs. 1RU.	739.00	957.00
<b>ZonerMic</b>	16 zone microphone to suit Zoner16. Connect via Cat5 cable	296.00	382.00
<a href="#">Return to Top</a>			
			
<b>Synergy Series Power Amplifiers</b>			
<b>SY400V</b>	Power amplifier. 2 x 200 watts @ 100V. 2 x RU, 240 VAC	1,021.00	1,321.00
<b>SY800V</b>	Power amplifier. 2 x 400 watts @ 100V. 2 x RU, 240 VAC	1,184.00	1,532.00
<b>SY6125</b>	Power amplifier. 100 watts per channel @ 8 ohms. 6 x 125 watts @ 4 ohms. 2 x RU, 240VAC	1,480.00	1,915.00
<b>SY6125T</b>	Transformer module for SY6125. 6 x 125 100 volt output transformers. 2 x RU	828.00	1,072.00
<b>SY4200</b>	Power amplifier. 4 x 200 watts @ 4 ohms. 4 x 132 watts @ 8 ohms 2 x RU, 240 VAC	1,317.00	1,704.00
<b>XA Series Power Amplifiers</b>			
<b>(XA Series due in November 2008)</b>			
<b>XA1000</b>	Power amplifier. 2 x 200 watts @ 8 ohms, 2 x 300 watts @ 4 ohms, 2 x 500watts @ 2 ohms. 2 x RU 7.5kg	505.00	662.00
<b>XA1400</b>	Power amplifier. 2 x 300 watts @ 8 ohms, 2 x 500 watts @ 4 ohms, 2 x 700watts @ 2 ohms. 2 x RU 8.5kg	635.00	829.00
<b>AM NG (Next Generation) Series Power Amplifiers</b>			
<b>(AM NG Series due in November 2008)</b>			
<b>AM2200NG</b>	Power Amplifier. 2 x 500w @ 8 ohms, 2 x 800w @ 4 ohms, 2x1100w @ 2 ohms. 2 RU 10kg	1,066.00	1,391.00
<b>AM2600NG</b>	Power Amplifier. 2 x 600w @ 8 ohms, 2 x 1000w @ 4 ohms, 2x1300w @ 2 ohms. 2 RU 11kg	1,265.00	1,654.00
<b>PM Series Mixers</b>			
<b>PM12</b>	Console mixer 4 x Mono, 4 x stereo input, stereo. Includes rack mount kit	403.00	521.00
<b>PM16</b>	Console mixer 8 x mono, 4 x stereo input, stereo. Includes rack mount kit	510.00	660.00
<b>Signal Processors</b>			
<b>AMIS215EQ</b>	Graphic Equaliser, 15 band, stereo	296.00	382.00
<b>AMIS31EQ</b>	Graphic Equaliser, 31 band, mono	296.00	382.00
<b>AMISCL2</b>	Compressor limiter, dual channel	383.00	497.00
<b>XR Series Speakers</b>			
<b>(XR Series becomes XRS Series with all new looks and an added mic input on the powered versions in November 2008)</b>			
<b>Passive</b>			
<b>XR8</b>	Speakers. Two way, 8" woofer & 1.5" driver. Rotatable 90 x 60 (h x v) horn. Includes U mounting bracket. Heavy duty, injection molded case. Available in black or white. <u>Priced and sold in pairs.</u>	402.00	521.00
<b>XR10</b>	Speaker. Two way, 10" woofer & 1.5" driver. Rotatable 90 x 60 (h x v) horn. C/w pole mount & eye bolt installation points. Heavy duty, injection molded case	316.00	413.00
<b>XR12</b>	Speaker. Two way, 12" woofer & 2" driver. Rotatable 100 x 55 (h x v) horn. C/w pole mount & eye bolt installation points. Heavy duty, injection molded case	441.00	573.00
<b>Powered</b>			
<b>XR8P</b>	Powered 8" & 1" bi amp system 100w LF, 50w HF. Per each	402.00	521.00
<b>XR10P</b>	Powered 10" & 1" bi amp system 100w LF, 50w HF	443.00	573.00
<b>XR12P</b>	Powered 12" & 2" bi amp system 300w LF, 100w HF	672.00	869.00

<b>XR Series Speaker Accessories</b>			
<b>AMISLSB1</b>	Speaker wall bracket. Pole mount style. Suits 35 mm pole mount	102.00	132.00
<b>ATC303</b>	Speaker stand. Heavy duty, 101-178cm. Suits 35mm adapter	59.00	77.00
<b>ATC304</b>	Speaker stand. Heavy duty, 125-300cm. Suits 35mm adapter. Up to 100Kg	107.00	138.00
<b>ATC305</b>	Stand. Winch-up. 80Kg max load. 125cm - 200cm. Suits 35mm adapter	147.00	190.00
<b>ATC310</b>	Pole adaptor, telescopic. 690mm - 1300mm. Suits 35mm adapter	29.00	39.00
<b>XR8UMB</b>	Bracket, universal mount for XR8 (Pair)	18.00	24.00
<b>XR8PMA</b>	Pole mount adaptor for XR8 (Pair)	15.00	19.00
<b>XR10CVR</b>	Cover, heavy duty for XR10	48.00	63.00
<b>XR12CVR</b>	Cover, heavy duty for XR12	56.00	71.00
<b>XR15CVR</b>	Cover, heavy duty for XR15	61.00	79.00
<b>XR10-12UB</b>	Wall bracket kit for XR10/P & XR12/P. Includes top and bottom mounts	27.00	35.00
<b>Cable - Bulk</b>			
<b>ATC8000</b>	Cable. Microphone. 100 m rolls. 20 x 0.12mm x 2. OD = 6mm. Black	103.00	132.00
<b>ATC8010</b>	Cable. Installation Microphone. 100m roll 7 x 0.24mm x 2 OD=5mm. Grey	103.00	132.00
<b>ATC8020</b>	Cable. Instrument. 100m rolls. Single conductor, shielded. 20 x 0.12mm. OD = 6mm. Black	98.00	126.00
<b>ATC8050</b>	Cable. Pro speaker. 100m rolls. 2 x 1.5mm <sup>2</sup> . OD = 6mm. 15GA. Black	196.00	254.00
<b>ATC8055</b>	Cable. Pro speaker, 100m roll, 2 x 2.5mm OD = 10mm.	391.00	505.00
<b>ATC8060</b>	Cable. Pro speaker. 100m rolls. 4 x 2.5mm <sup>2</sup> . OD = 12mm. 13GA. Black	625.00	809.00
<b>ATC8060-1</b>	Cable. As per ATC8060, per meter. Cut to any length	7.00	9.00
<b>ATC8070</b>	Cable. Pro speaker. 100m rolls, 4 x 4mm <sup>2</sup> OD=15mm. 11GA. Black	1,256.00	1,624.00
<b>ATC8070-1</b>	Cable. As per ATC8070, per meter. Cut to any length	11.55	14.84
<b>ATC8080</b>	Cable. Pro speaker. 100m rolls, 6 x 2.5mm <sup>2</sup> . OD=14mm. 13 GA. Black	1,184.00	1,532.00
<b>ATC8080-1</b>	Cable. As per ATC8080, per meter. Cut to any length	11.53	15.03
<b>ATC8085</b>	Cable. Pro speaker. 100m rolls. 6 x 4mm <sup>2</sup> . OD=16mm. 11GA. Black	1,895.00	2,454.00
<b>ATC8085-1</b>	Cable. As per ATC8085, per meter. Cut to any length	19.00	24.00
<b>ATC8090</b>	Cable. 20 channel multicore 100m. OD=22mm.(7 x 0.16) x 2mm. Individually shielded	1,479.00	1,914.00
<b>ATC8090-1</b>	Cable. As per ATC8090, per meter. Cut to any length	15.00	19.00
<b>ATC8095</b>	Cable. 28 channel multicore 100m. OD=27mm.(7 x 0.16) x 2mm. Individually shielded	2,031.00	2,628.00
<b>ATC8095-1</b>	Cable. As per ATC8095, per meter. Cut to any length	20.00	26.00
<b>P2024I-B</b>	Cable. Double insulated fig. 8 speaker. 2 x 24/.2mm. 250 meter rolls. Brown.	194.00	251.00
<b>P24220</b>	Cable. General duty Fig.8 speaker 250 meter rolls polarized. 2 x 24/.2mm. White or brown.	172.00	223.00
<b>P42250</b>	Cable. General duty fig. 8 speaker 250 meter rolls, polarized. 2 x 42/.19mm Available in white and brown	247.00	319.00
<b>S2C122B</b>	Cable. Twin shielded flexible mic cable. (0.12mmx15/1.7mm). 100m rolls	102.00	131.00
<b>Connectors &amp; Adaptors</b>			
<b>ATC6010</b>	Connector. 3 pin Female XLR-Line	1.91	2.47
<b>ATC6015</b>	Connector. 3 pin Male XLR-Line	1.61	2.09
<b>ATC6016</b>	Connector. 4 pin Female XLR-Line	2.44	3.16
<b>ATC6017</b>	Connector. 4 pin Male XLR-Line	2.25	2.91
<b>ATC6018</b>	Connector. 5 pin Female XLR-Line	2.76	3.57
<b>ATC6019</b>	Connector. 5 pin Male XLR-Line	2.64	3.41
<b>ATC6030</b>	Connector. 3 pin Right Angle Female XLR	2.77	3.59
<b>ATC6035</b>	Connector. 3 pin Right Angle Male XLR	2.61	3.37
<b>ATC6036</b>	Connector. 3 pin Female XLR-Chassis	1.87	2.42
<b>ATC6037</b>	Connector. 3 pin Male XLR-Chassis	1.67	2.17
<b>ATC6038</b>	Connector. 4 Pin Female XLR-Chassis	2.50	3.24
<b>ATC6039</b>	Connector. 4 Pin Male XLR-Chassis	2.31	2.99
<b>ATC6041</b>	Connector. 5 Pin Female XLR-Chassis	2.96	3.83
<b>ATC6042</b>	Connector. 5 Pin Male XLR-Chassis	2.76	3.57
<b>ATC6043</b>	Connector. 6.35mm TRS jack chassis connector.	4.84	6.27
<b>ATC6044</b>	Connector. 3-pin female XLR chassis connector large footprint.	4.82	6.23
<b>ATC6060</b>	Connector. 4 Pole Speaker Connector- in Line	6.55	8.47
<b>ATC6061</b>	Connector. 4 pole Speaker socket, in line	7.07	9.15
<b>ATC6062</b>	Connector. 4 pole joiner	9.26	11.98
<b>ATC6065</b>	Connector. 4 Pole Speaker Connector-Chassis	3.10	4.01
<b>ATC6067</b>	Connector. 8 pole Speaker connector	15.26	19.75
<b>ATC6068</b>	Connector. 8 pole joiner	23.26	30.10
<b>ATC6070</b>	Connector. 6.35mm Mono (TS) Jack	1.79	2.32
<b>ATC6071</b>	Connector. 3.5mm Mono (TS) Jack	1.21	1.57
<b>ATC6073</b>	Connector. 6.35mm TS right angled jack.	3.56	4.60
<b>ATC6075</b>	Connector. 6.35mm In-Line Jack Socket	4.62	5.98
<b>ATC6080</b>	Connector. 6.35mm Stereo (TRS) Jack	1.99	2.57
<b>ATC6081</b>	Connector. 3.5mm Stereo (TRS) Jack	1.60	2.07
<b>ATC6100-B</b>	Connector. RCA Connector-Male. Black ring	1.21	1.57
<b>ATC6100-R</b>	Connector. RCA Connector-Male. Red ring	1.21	1.57
<b>ATC6101B</b>	Connector. RCA plug. High quality, black.	1.76	2.28
<b>ATC6101R</b>	Connector. RCA plug. High quality, red.	1.76	2.28
<b>ATC6110-B</b>	Connector. RCA Connector-Female. Black ring	1.48	1.92
<b>ATC6110-R</b>	Connector. RCA Connector-Female. Red ring	1.48	1.92
<b>ATC6111B</b>	Connector. RCA socket. High quality, black.	1.76	2.28
<b>ATC6111R</b>	Connector. RCA socket. High quality, red.	1.76	2.28
<b>ATC6769</b>	Connector. RCA plug, right angled.	3.05	3.95
<b>ATC6411</b>	Wall Plate with 1 XLR3F	6.93	8.97
<b>ATC6421</b>	Wall Plate with 2 XLR3F's	9.26	11.98



