

 FEEL THE ENERGY OF SOUND			
Part #	Product Description	Trade Ex GST	RRP Inc GST
Vocal Microphones (Hand-held)			
OPUS29S	Dynamic microphone (supercardioid) for vocals with switch, black	71.00	92.00
OPUS39	Dynamic microphone (supercardioid) for vocals, black	118.00	152.00
OPUS39S	Dynamic microphone (supercardioid) for vocals, black, with lockable ON/OFF-switch	147.00	190.00
OPUS69	Dynamic microphone (supercardioid) for vocals	301.00	389.00
OPUS81	Condenser microphone (cardioid) for vocals and instruments	490.00	634.00
OPUS89	Dynamic high performance (hypercardioid) vocal microphone	460.00	595.00
TGX48	Dynamic microphone (supercardioid) for vocals	165.00	213.00
TGX58	Dynamic microphone (supercardioid) for vocals, with lockable ON/OFF-switch	201.00	261.00
M69TG	Dynamic directional microphone (hypercardioid) for vocals and instruments	460.00	595.00
M88TG	Dynamic directional microphone (hypercardioid) for vocals and instruments (bass drum)	646.00	836.00
TGX47	Dynamic supercardioid instrument microphone. Rugged metal construction.	165.00	213.00
TGX48	Dynamic supercardioid vocal microphone. Rugged metal construction.	165.00	213.00
TGX930	True condenser cardioid microphone, 20-20,000Hz. Matte black finish.	1,312.00	1,698.00
TGX930-Ni	True condenser cardioid microphone, 20-20,000Hz. Satin nickel-plated finish.	1,312.00	1,698.00
Drum and Percussion Microphones			
TGX47	Dynamic microphone (supercardioid) for picking up instruments, guitar amps and snare drums	165.00	213.00
OPUS51	Condenser boundary mic (half-spherical) for kick drum and (grand) piano, cpl. with pre-amplifier CV3 Opus	535.00	692.00
OPUS53	Condenser microphone (cardioid) for instruments (e.g.. as overhead mic)	212.00	274.00
OPUS66	Dynamic mini microphone (supercardioid) for instruments (e.g.. drums), insensitive to mechanical noise, incl. special mic clamp MKV87	301.00	389.00
OPUS67	Dynamic clip-on mic (hypercardioid) for drums, with gooseneck and special microphone clamp MKV87	212.00	274.00
OPUS83	Condenser microphone (cardioid) for instruments (e.g.. as overhead mic)	425.00	550.00
OPUS87	Condenser mic (cardioid) for drums, with flexible gooseneck, patented microphone clamp MKV87 with integrated pre amplifier and 3-pin XLR male	276.00	358.00
OPUS88	Condenser clip-on microphone (cardioid) for snare drums and toms, short flexible gooseneck with horizontal rotary hinge, patented microphone clamp MKV87 with integrated pre-amplifier and 3-pin XLR male	295.00	382.00
OPUS99	Dynamic microphone (cardioid), special equalisation for low frequency instruments, ideal for close miking bass and kick drums	581.00	752.00
M69TG	Dynamic directional microphone (hypercardioid) for vocals and instruments	460.00	595.00
M88TG	Dynamic directional microphone (hypercardioid) for vocals and instruments (bass drum)	646.00	836.00
M201TG	Dynamic directional microphone (hypercardioid) for instruments	460.00	595.00
MC930	Studio condenser mic (cardioid) with switchable pre-attenuation and Low Cut Filter	944.00	1,222.00
OPUSDRUMS	Drum Mic Kit consisting of 1 x Opus99, 2 x Opus53 and 1 x Opus88, incl. microphone clamps, durable, protective carrying case, foam inlay with free space for additionally 4 x Opus87, 3 x Opus88, 1 x Opus53, MC930 and 1 x ST99 kick drum microphone stand	1,293.00	1,673.00
OPUSDRUMM	Drum Mic Kit consisting of 1 x Opus99, 4 x Opus88, incl. microphone clamps, durable, protective carrying case, foam inlay with free space for additionally 4 x Opus87, 3 x Opus53, MC 930 and 1 x ST99 kick drum microphone stand	1,634.00	2,114.00
OPUSDRUML	Drum Mic Kit consisting of 1 x Opus99, 2 x Opus53, 4 x Opus88, 1x ST99 kick drum microphone stand, incl. microphone clamps, durable, protective carrying case, foam inlay with free space for additionally 4 x Opus87, 1 x Opus53, MC 930	2,087.00	2,701.00
OPUSDRUMX	Drum Mic Kit consisting of 1 x Opus99, 2 x MC930, 1 x Opus53, 2 x Opus87, 3 x Opus88, 1 x ST99 kick drum microphone stand, incl. microphone clamps, durable, protective carrying case, foam inlay with free space for additionally 1 x Opus88 and 2 x Opus87	3,692.00	4,778.00
Instrument Microphones			
OPUS51	Condenser boundary mic (half-spherical) for kick drum and (grand) piano, cpl. with pre-amplifier CV3 Opus	535.00	692.00
OPUS53	Condenser microphone (cardioid) for instruments (e.g.. as overhead mic)	212.00	274.00
OPUS62	Dynamic clip-on microphone (hypercardioid) for wind instruments, with gooseneck and special mic clamp	230.00	298.00
OPUS66	Dynamic mini microphone (supercardioid) for instruments (e.g.. drums), insensitive to mechanical noise, incl. special mic clamp MKV87	301.00	389.00
OPUS82SET	Condenser clip-on microphone (cardioid) for wind instruments, incl. fixed mic pre-amplifier CVU82 and flexible gooseneck	460.00	595.00
OPUS83	Condenser microphone (cardioid) for instruments (e.g.. as overhead mic)	425.00	550.00
OPUS99	Dynamic microphone (cardioid), special equalisation for low frequency instruments, ideal for close miking bass and kick drums	581.00	752.00
M69TG	Dynamic directional microphone (hypercardioid) for vocals and instruments	460.00	595.00
M88TG	Dynamic directional microphone (hypercardioid) for vocals and instruments (bass drum)	646.00	836.00
M201TG	Dynamic directional microphone (hypercardioid) for instruments	460.00	595.00
MC930	Studio condenser mic (cardioid) with switchable pre-attenuation and Low Cut Filter	944.00	1,222.00

Neck/Head/Earworn Microphones			
PEM60-BLK	Ear-worn microphone. Condenser omnidirectional with 4-pin Mini XLR connector for Opus beltpacks. Black	327.00	424.00
PEM60-SC	Ear-worn microphone. Condenser omnidirectional with 4-pin Mini XLR connector for Opus beltpacks. Beige	327.00	424.00
PEM10-BLK	Ear-worn microphone. Condenser cardioid with 4-pin Mini XLR connector for Opus beltpacks. Black	370.00	479.00
PEM10-SC	Ear-worn microphone. Condenser cardioid with 4-pin Mini XLR connector for Opus beltpacks. Beige	370.00	479.00
OPUS54-18	Neck worn condenser microphone (cardioid), black, with 4-pin Mini-XLR connector for Opus beltpack transmitter TS300, TS800 and TS800M	302.00	391.00
OPUS54-162	Neck worn condenser microphone (cardioid), black, with 4-pin LEMO-connector, for TS 316	257.00	332.00
OPUS55-18B	Neck worn condenser microphone (omni directional), black, 4-pin Mini-XLR connector for Opus beltpack transmitter TS300, TS800 and TS800M	344.00	446.00
OPUS55-18S	Neck worn condenser microphone (omni directional), beige, waterproof, 4-pin mini-XLR connector for TS 100 Mk II, TS 300, TS 800(M) and CV 18	344.00	446.00
Lavaliere Microphones			
MCE5-18	Condenser lavaliere microphone (omnidirectional), black, 4-pin mini-XLR connector, for TS 100 Mk II, TS 300, TS 800(M) and CV 18	455.00	589.00
MCE10-09	Condenser lavaliere microphone (cardioid), black, cable with free ends	530.00	685.00
MCE10-16	Condenser lavaliere microphone (cardioid), black, 4-pin LEMO-connector, for TS 316, TS 500 and CVU 16	575.00	744.00
MCE10-182	Condenser lavaliere mic (cardioid), black, 4-pin Mini-XLR connector, for Opus beltpack transmitter TS300, TS800 and TS800M	575.00	744.00
MCE55-18B	Mini condenser lavaliere microphone (omni directional), black, waterproof, with 4-pin mini-XLR connector for TS 100 Mk II, TS 300, TS 800(M) and CV 18	307.00	397.00
MCE55-18S	Mini condenser lavaliere microphone (omni directional), beige, waterproof, with 4-pin mini-XLR connector for TS 100 Mk II, TS 300, TS 800(M) and CV 18	307.00	397.00
MCE60-09	Condenser lavaliere microphone (omni directional), black, cable with free ends	307.00	397.00
MCE60-16	Condenser lavaliere microphone (omni directional), black, with 4-pin LEMO-connector, for TS 316, TS 500 and CVU 16	352.00	455.00
MCE60-18	Condenser lavaliere microphone (omni directional), black, 4-pin mini-XLR connector, for TS 100 Mk II, TS 300, TS 800(M) and CV 18	352.00	455.00
Studio Microphones			
MCE530	Condenser microphone (cardioid) for miking instruments and recording	325.00	420.00
MCE530STST	Condenser-mic-set (cardioid), 2 stereo-paired MCE530 incl. 2 microphone clamps MKV109, 2 windscreens WS53 and stereo bracket, in transport case	653.00	845.00
M99	Dynamic microphone (hypercardioid) for broadcasting and instrumental recordings, switchable presence accentuation, equalisation for bass drum, incl. elastic suspension EA90	1,006.00	1,302.00
MC840	Studio condenser microphone, adjustable polar pattern (omni, wide cardioid, cardioid, hypercardioid, figure eight), large diaphragm, gold vap. double membrane, 2 position pre-attenuator and low frequency roll-off, incl. clamp MKV 11 and elastic suspension	3,154.00	4,081.00
MC834	Studio condenser mic (cardioid) with switchable pre-attenuation and roll off filter, incl. elastic suspension EA37	2,142.00	2,772.00
MC930	Studio condenser mic (cardioid) with switchable pre-attenuation and Low Cut Filter	1,006.00	1,302.00
MC930STSET	Condenser-mic-set (cardioid), 2 stereo-paired MC930 incl. 2 elastic suspensions EA19/25 and 2 windscreens WS53, in transport case	2,016.00	2,609.00
MCE72	Stereo condenser microphone for XY-recording (2 capsules, cardioid) for battery power (1.5V) with 5-pin XLR connector incl. clamp MKV108 and cable MKV82-K3 (2.5m)	653.00	845.00
M130	Dynamic double ribbon microphone (figure eight), pure aluminum diaphragm	1,335.00	1,727.00
M160	Dynamic double ribbon microphone (hypercardioid), pure aluminum diaphragm	1,157.00	1,497.00
M260	Dynamic ribbon microphone (hypercardioid), with roll-off-filter, pure aluminum diaphragm	653.00	845.00

Broadcast, Video & Production Microphones			
M58	Dynamic microphone for ENG and EFP applications (omni directional), Nextel finish	502.00	650.00
MCE58	Condenser mic for reporting (omni directional.), high output level, Nextel finish, battery powered, unbalanced system for DAT/MD-recorder	704.00	911.00
MCE72	Stereo condenser microphone for XY-recording (2 capsules, cardioid) for battery power (1.5V) with 5-pin XLR connector incl. clamp MKV108 and cable MVK82-K3 (2.5m)	653.00	845.00
MCE72CAM	Stereo condenser microphone for XY-recording (2 capsules, cardioid) for battery power (1.5V) with 5-pin XLR connector incl. elastic suspension EA86 for camera mount and cable MVK72-K3 (0.35m)	680.00	880.00
MCE82	Stereo condenser microphone for XY-recording (2 capsules, cardioid), switchable bass roll off, incl. clamp MKV11 and cable MVK82 N(CM), 2.5m), battery and phantom powered	1,309.00	1,694.00
MCE494	Condenser microphone, back electret (cardioid), for laptops, portable DAT- and MD players	143.00	185.00
Shotgun Microphones			
MCE86II	Condenser shotgun microphone for phantom power, incl. elastic suspension EA 19/25 and clamp MKV 11	729.00	944.00
MCE86SII	Condenser shotgun microphone for phantom or battery power (1.5V), incl. elastic suspension EA 19/25 and clamp MKV 11	930.00	1,203.00
MCE86SIIC	Condenser shotgun microphone for phantom or battery power (1.5V), incl. elastic suspension EA 86 for camera mount, cable MVK 86-K3 (0.35m, XLR - 3.5mm stereo mini-jack) and windscreen WS 716	957.00	1,239.00
MC836	Condenser mic (short shotgun, lobe) cardioid, with switchable low frequency roll off, Nextel finish. Does not include clip	1,930.00	2,498.00
MC837	Condenser mic (long shotgun, lobe), with switchable low frequency roll off, Nextel finish. Does not include clip	2,192.00	2,837.00
Test Microphones			
MM1	Measurement microphone (electret condenser) for volume measuring or reverberation measuring devices	453.00	586.00
Microphone Stands & Stand Accessories			
GST400	Mic Stand with fixed length boom, 5/8" thread, height 0.90 - 1.65m plus boom	137.00	177.00
GST500	Mic Stand with telescopic boom, 5/8" thread, height 0.85 - 1.60m plus boom	160.00	207.00
GST590	Mic Stand (Short) with telescopic boom, 5/8" thread, adjustable height 34 - 60cm, e.g. for drums	160.00	207.00
ST600	Mic Stand with heavy round base, 3/8" thread, adjustable height	167.00	216.00
NR216	Threaded adapter, 3/8" outer and 5/8" inner diameter	8.00	10.00
NR217	Threaded adapter 5/8" outer and 3/8" inner diameter	8.00	10.00
MAV802	Multi-purpose mounting for 2 microphones (on one stand) for stereo recording applications	116.00	150.00

Microphone Accessories & Spare Parts			
CV30PUS	Pre-amplifier for Opus 51/54/55 .16 versions	235.00	304.00
CV18	Pre-amplifier for microphones MCE / Opus.. .18 versions (for condenser microphones with 4-pin mini-XLR)	184.00	238.00
ZCV	Battery compartment for pre-amplifier CVU 16, CV 1 and CV 3	77.00	99.00
EA19-25	Elastic suspension for shaft 19 - 25mm, incl. clamp MKV 11	102.00	132.00
EA37	Elastic suspension for MC 834/740/742 and MCD 100/101	102.00	132.00
EA90	Elastic suspension for MCE 90, M 99 and Opus 99	102.00	132.00
MAV800	Clip 3/8" for hanging mounting of microphones	48.00	63.00
MFH5	Microphone mount for flute	184.00	238.00
MGH5	Microphone mount for violin	131.00	169.00
MKV5	Microphone clamp for MCE 5/6/10, black	27.00	35.00
MKV7BLK	Microphone clamp for MCE 7, black	27.00	35.00
MKV87	Patented microphone clamp for drums with thread for 3/8"-adapter	102.00	132.00
MKV99	Special microphone clamp (screwable) for Opus 99 kick drum microphone	27.00	35.00
MKV8	Microphone clamp for shaft 22 - 32mm	39.00	51.00
MKV9	Microphone clamp for shaft 19 - 21mm	39.00	51.00
MKV11	Microphone clamp for shaft 32 - 42mm	53.00	68.00
Microphone Accessories & Spare Parts			
PS5	Pop shield for MCE 5, black	31.00	41.00
PS10	Pop shield for MCE 10, black	45.00	58.00
PS20-40	Pop shield for Opus 39,59,69	35.00	45.00
PS60-80	Pop shield for TG-X 60/61/80/81	39.00	51.00
PS81	Pop shield for Opus 81 and MCE 91, charcoal-grey	35.00	45.00
PS88	Pop shield for M 69/88, charcoal-grey	39.00	51.00
WS5	Windscreen for MCE 5 (foam), charcoal grey	14.00	18.00
WS10	Windscreen for MCE 10 (foam), charcoal-grey	14.00	18.00
WS20SW	Windscreen for SHM 20/21, TG-X 45, Opus 54, black, (also for DT 284/294/384/394)	15.00	20.00
WS20WS	Windscreen for SHM 20/21, TG-X 45, Opus 54, white	15.00	20.00
WS53	Windscreen for Opus 53, MCE 530, MC 930 and M 424, charcoal-grey	24.00	31.00
WS59AZ	Windscreen for M 59/69/88/88TG, TG-X 60/80, Opus 39/59/69/81, charcoal-grey	53.00	68.00
WS72	Windscreen for MCE 72	24.00	31.00
WS88	Windscreen for SHM 800 series, charcoal-grey	53.00	68.00
WS91	Windscreen for MCE 58/MCE 91, charcoal-grey	39.00	51.00
WS97	Windscreen for Opus 62/67/82/87 and DT 280/290/297, charcoal-grey	21.00	28.00
WS101	Windscreen for M 101/201, Opus 83, MCE 84/93/94, MC 930, charcoal-grey	39.00	51.00
WS740-834	Windscreen for MC 740/834, charcoal-grey	53.00	68.00
WS930	Windscreen for MC930 series	26.00	33.00
ZSH23FG	Stand adapter with 3-pin XLR female and cable (free ends), for goosenecks/-microphones with 3-pin XLR male	224.00	290.00
ZSH20	Flexible shock mount fixture for SHM200 and shm800 series gooseneck mics with XLR male, black, with check nut	128.00	165.00
Gooseneck & Ceiling Microphones - 200/800 Series RFI Compliant			
SHM22FWS	Miniature condenser gooseneck mic, white, for ceiling mounting , requires 60mm installation gaps	377.00	487.00
SHM22HWS	Miniature condenser gooseneck mic, white, for hanging ceiling mounting , requires 60mm installation gaps, with cable (8m)	453.00	586.00
SHM2218S	Miniature condenser gooseneck mic, black, for desktop or ceiling mounting, 3-pin Switchcraft TQG female, installation plug with connecting cable (1m), incl. pre-amplifier CV 15 PV-N(C)-R	604.00	781.00
SHM203A	Condenser gooseneck mic, length 300mm, with XLR male	453.00	586.00
SHM204A	Condenser gooseneck mic, length 400mm, with rigid tube, with XLR male	477.00	617.00
SHM204XD	Condenser gooseneck mic, length 400mm, special designed with carbon tube 3mm, with XLR male	578.00	748.00
SHM205A	Condenser gooseneck mic, length 500mm, with rigid tube, with XLR male	501.00	648.00
SHM214A	Condenser gooseneck mic, length 400mm, with rigid tube, with XLR male and illuminated ring	604.00	781.00
SHM215A	Condenser gooseneck mic, length 500mm, with rigid tube, with XLR male and illuminated ring	627.00	812.00
SHM803A	Condenser gooseneck mic (shotgun, back electret), length 350mm, XLR male, windscreen WS88	704.00	911.00
SHM805A	Condenser gooseneck mic (shotgun, back electret), length 500mm, with rigid tube, XLR male, windscreen WS88	729.00	944.00
SHM930	True-condenser gooseneck mic, studio-quality, length 500mm, small-diaphragm cardioid, switchable pad and low-cut, solid metal housing with dark black Nextel finish, with XLR male, windscreen WS 930	1,259.00	1,629.00
CK930-38SET	True-condenser studio-quality mini-mic for stand, hanging or ceiling mounting. Includes CK930 mic, CV900 remote preamp, 3m connecting cable and mic clamp.	1,397.00	1,808.00
CK930-TSET	True-condenser studio-quality mini-mic for boundary style mic applications. Includes CK930 mic, CV900 remote preamp, 3m connecting cable and unique desk mic stand.	1,488.00	1,926.00

Revolutio Line Array Microphones - use in place of gooseneck mics				
MPR110	Revolutio stand-alone desktop microphone. Features 17 mic capsules in line array format for constant level and audio quality. Use in place of any gooseneck mic for improved sightlines, improved pick-up performance and better rejection of side sources.		1,102.00	1,426.00
MPR111	As per MPR110 but with microprocessor controlled remote control options. Includes switch (PTT or PTM) and switch control from third party system.		1,280.00	1,657.00
Boundary Microphones				
MPC22SW	Condenser button style boundary mic (semi-cardioid), black, for ceiling or table installation		400.00	518.00
MPC22WS	Condenser button style boundary mic (semi-cardioid), white, for ceiling or table installation		400.00	518.00
MPC22SE	Condenser button style boundary mic (semi-cardioid), silver, for ceiling or table installation		416.00	538.00
MPC23SW	Condenser button style boundary mic (half-spherical), black, for ceiling or table installation		428.00	553.00
MPC23SE	Condenser button style boundary mic (half-spherical), silver for ceiling or table installation		439.00	569.00
MPC23WS	Condenser button style boundary mic (half-spherical), white, for ceiling or table installation		428.00	553.00
MPC65VSW	Condenser boundary mic (semi-cardioid), black, with built-in pre-amplifier, cable with free ends		428.00	553.00
MPC65VWS	Condenser boundary mic (semi-cardioid), white, with built-in pre-amplifier, cable with free ends		428.00	553.00
MPC66VSW	Condenser boundary mic (half-spherical), black, with built-in pre-amplifier, cable with free ends		428.00	553.00
MPC66VWS	Condenser boundary mic (half-spherical), white, with built-in pre-amplifier, cable with free ends		428.00	553.00
MPC67SW	Condenser boundary mic (semi-cardioid), black, microprocessor controlled, with cable MVK SF/3-C/3		604.00	781.00
MPC70USB	Condenser boundary mic (half-spherical), black, with USB Standard B connector and 3m USB cable		604.00	781.00
Wireless Microphones				
Opus 300 System				
NE300S	Single UHF Receiver, True Diversity, PLL-synthesised, Pilotone, 1-channel, 1/2-19" plastic housing, LED, ACT/SCAN-function, 16 pre-programmed frequencies		623.00	806.00
NE300D	Dual UHF receiver, true diversity, PLL-synthesised, pilot tone, 2-channel, 19" metal housing, LED, ACT/SCAN-function, 16 pre-programmed frequencies		1,270.00	1,643.00
SDM369	UHF Handheld Transmitter for Opus 300 Wireless Systems, Opus69 capsule (dynamic, supercardioid), PLL-synthesised, Pilotone, plastic housing, ACT-function, 16 pre-programmed frequencies		784.00	1,014.00
SEM381	UHF Handheld Transmitter for Opus 300 Wireless Systems, Opus81 capsule (condenser, cardioid), PLL-synthesised, Pilotone, plastic housing, ACT-function, 16 pre-programmed frequencies		899.00	1,164.00
TS300	UHF Pocket Transmitter for Opus 300 Wireless Systems, PLL-synthesised, Pilotone, plastic housing, ACT-function, 16 pre-programmed frequencies		576.00	746.00
Opus 900 Wireless System				
NE900S	True dual diversity UHF single channel receiver, 9.5" 1RU rugged metal case. Jog wheel for fast access, 99 selectable frequencies, balanced XLR, remote in/out port and PC control capability.		1,351.00	1,748.00
NE900D	True dual diversity UHF dual channel receiver, 1RU rugged metal case. Jog wheel for fast access, 99 selectable frequencies, balanced XLR, remote in/out port and PC control capability. Integrated antenna splitter.		2,478.00	3,207.00
NE900Q	True dual diversity UHF quad receiver, 1RU rugged metal case. Jog wheel for fast access, 99 selectable frequencies, balanced XLR, remote in/out port and PC control capability. Integrated antenna splitter.		4,506.00	5,831.00
TS900M	Pocket transmitter, metal housing, ACT infrared interface, LCD display of selected channel, group and battery status (5-stage), gain control, silent on/off switch, 4-pin mini XLR input connector.		1,012.00	1,310.00
TS900C	Pocket transmitter, plastic housing, ACT infrared interface, LCD display of selected channel, group and battery status (5-stage), gain control, silent on/off switch, 4-pin mini XLR input connector.		561.00	726.00
SDM969	UHF Handheld Transmitter for Opus 900 Wireless Systems, DM 969 S changeable capsule (dynamic, supercardioid), PLL-synthesised, plastic housing, LC-Display, ACT-function		674.00	872.00
SDM969C	UHF handheld transmitter for Opus 900 wireless systems, DM 969 S changeable capsule (dynamic, supercardioid), PLL-synthesised, plastic housing, LC-Display, ACT-function, with charging contacts		764.00	989.00
SDM960	UHF handheld transmitter for Opus 900 wireless systems, DM 960 S changeable capsule (dynamic, hypercardioid), PLL-synthesised, plastic housing, LC-Display, ACT-function		983.00	1,272.00
SDM960M	UHF handheld transmitter for Opus 900 wireless systems, DM 960 B changeable capsule (dynamic, hypercardioid), PLL-synthesised, metal housing, LC-Display, ACT-function		1,305.00	1,689.00
SEM981C	UHF handheld transmitter for Opus 900 wireless systems, EM 981 S changeable capsule (condenser, cardioid), PLL-synthesised, plastic housing, LC-Display, ACT-function, with charging contacts		1,030.00	1,333.00
SCM930M	UHF handheld transmitter for Opus 900 wireless systems, CM 930 B changeable capsule (true condenser, cardioid), PLL-synthesised, metal housing, LC-Display, ACT-function		1,930.00	2,498.00
S900P	Microphone shaft in plastic housing.		354.00	458.00
S900C	Microphone shaft in plastic housing with charging contacts		403.00	521.00
S900M	Microphone shaft in metal housing.		627.00	812.00
DM960S	Mic capsule to suit S900M, S900P and S900C. TG-X60 dynamic hypercardioid.		676.00	875.00
DM960B	Mic capsule to suit S900M, S900P and S900C. TG-X60 dynamic hypercardioid.		676.00	875.00
DM969S	Mic capsule to suit S900M, S900P and S900C. Opus 69 dynamic supercardioid capsule.		354.00	458.00
EM981S	Mic capsule to suit S900M, S900P and S900C. Opus 81cardioid condenser capsule.		627.00	812.00
CM930B	Mic capsule to suit S900M, S900P and S900C. CM930 cardioid true condenser capsule.		1,168.00	1,511.00

Accessories for Opus 300 and 900 Series Wireless Systems			
SLG900	NIMH Battery charging unit for 2 handheld or 2 bodypack Opus 900 transmitters. Suitable for all "C" models	723.00	935.00
OPUS54-18	Neck worn condenser microphone (cardioid), black, with 4-pin Mini-XLR connector for Opus beltpack transmitter TS300, TS800 and TS800M	322.00	417.00
OPUS55-18B	Neck worn condenser microphone (omni directional), black, 4-pin Mini-XLR connector for Opus beltpack transmitter TS300, TS800 and TS800M	367.00	475.00
OPUS55-18S	Neck worn condenser microphone (omni directional), beige, waterproof, 4-pin mini-XLR connector for TS 100 Mk II, TS 300, TS 800(M) and CV 18	367.00	475.00
MCE5-18	Condenser lavalier microphone (omnidirectional), black, 4-pin mini-XLR connector, for TS 100 Mk II, TS 300, TS 800(M) and CV 18	455.00	589.00
MCE10-182	Condenser lavalier mic (cardioid), black, 4-pin Mini-XLR connector, for Opus beltpack transmitter TS300, TS800 and TS800M	575.00	744.00
MCE60-18	Condenser lavalier microphone (omni directional), black, 4-pin mini-XLR connector, for TS 100 Mk II, TS 300, TS 800(M) and CV 18	352.00	455.00
FB71B	Metal rack-mount ears for 1 NE 500 S receiver 19"/1 HU (1 pair)	68.00	88.00
FB72B	Metal rack-mount ears for 1 NE 500 D receiver or 2 NE 500 S, 19"/1 HU, (1 pair)	59.00	76.00
FBC71B	Cable rear-to-front for NE 500 S, NE 500 D, Opus 800 MF and ZAS 800, (1 pair)	59.00	76.00
ZAS800	UHF antenna divider, 4-way, active, 19" housing, incl. TNC cable set and rackmount ears FB 30 (antenna front mounting) for Opus 800, 500 Mk II and 300, (798-822 MHz)	1,608.00	2,081.00
MJ41G	Instrument cable with 1/4" jack/4-pin mini-XLR for TS 100 Mk II, TS 300 and TS 800 (M)	66.00	86.00
Consumer & DJ Headphones			
DTX10	In-ear headphones with case, 32 ohms, stereo mini jack	31.00	41.00
DTX20	In-ear headphones, 32 ohms, stereo mini jack	43.00	56.00
DTX35B	Neckband headphones, 32 Ω, 104 dB, stereo mini-jack 3.5 mm, black	55.00	72.00
DTX50	Mini earphones with headband, 32 ohms, stereo mini jack	143.00	185.00
SX10	Sports In-Ear bud headphone, 16 ohm, 113dB, stereo mini-jack, black	54.00	70.00
SX10W	Sports In-Ear bud headphone, 16 ohm, 113dB, stereo mini-jack, white	54.00	70.00
FX1	Lightweight dynamic headphone, 104dB SPL, 32 ohms, 40-20,000Hz. Available in black, blue, green, magenta, orange and white.	39.00	51.00
DT235B	Stereo headphones, 32 Ω, closed systems, with single sided cable, stereo mini-jack / 1/4" adapter, black	140.00	182.00
DT235W	Stereo headphones, 32 Ω, closed systems, with single sided cable, stereo mini-jack / 1/4" adapter, white	140.00	182.00
DTX700	HiFi headphones, 32 ohms, swivel ear cup, single sided cable, mini-jack/1/4" adapter	143.00	185.00
DTX800	HiFi headphones with extreme bass, 32 ohms, swivel ear cup, single sided cable, mini-jack/1/4" adapter	178.00	230.00
DTX900	HiFi headphones for critical listening of all styles, 32 ohms, swivel ear cup, single sided cable, mini-jack/1/4" adapter	209.00	271.00
DT440	Premium HiFi headphones, 32 ohms with stereo mini-jack/1/4" adapter	277.00	359.00
DT660	Premium (DJ Ready) HiFi headphones, 32 ohms with stereo mini-jack/1/4" adapter	388.00	503.00
DT860	Premium HiFi headphones, 32 ohms with stereo mini-jack/1/4" adapter	477.00	617.00
DT770-2006	HiFi headphones, 250 ohms, closed systems, single sided coiled cable WK 770.07 with stereo mini-jack / 1/4" adapter	531.00	688.00
DT880-2006	HiFi headphones, 250 ohms, semi open systems, single sided coiled cable WK 880.07 with stereo mini-jack / 1/4"	598.00	774.00
DT990-2006	HiFi headphones, 250 ohms, open systems, single sided coiled cable WK 990.07 with stereo mini-jack / 1/4" adapter	665.00	860.00
DJX-1	Premium DJ headphones, 107SPL, 5Hz-25kHz, 3m coiled lead, headphone bag	331.00	428.00
DT60PRO	Professional in-ear earphones. Dynamic micro-drivers, excellent isolation from ambient noise, 106dB SPL. Supplied with "Perfect-Fit" silicone earpads in 3 sizes.	143.00	185.00
DT880	Semi-open, dynamic headphone, 96dB SPL, 250 ohms, 5-35,000Hz.	598.00	774.00
MMX2	Multimedia headset. Closed headphone with cardioid condenser microphone. With USB converter with volume and mic mute function	200.00	259.00
MMX300	Multimedia premium headset. High attenuation closed headphone with cardioid condenser microphone. With USB converter with volume and mic mute function	643.00	832.00
RSX700	Wireless headphone system. 2.4GHz digital wireless transmission, up to 20 meters interference free. Supplied with small docking system, connectable to any hi-fi of TV system.	417.00	539.00
Headzone 5.1 Surround Sound Headphone System			
HEADZONEP	Headzone Pro Package.	4,961.00	6,420.00
HBP1	Base PRO base station, 1RU/half rack desktop unit. 6 analogue audio inputs, digital 5.1 audio input via firewire.	3,832.00	4,959.00
DT880PROH	DT880PRO studio reference headphones with integrated sonic exciters.	901.00	1,166.00
HR1	Headzone Rail - Headtracker ultrasonic receivers with flexible clip.	TBA	TBA
HC1	Headzone Clip - rail to computer displays.	TBA	TBA
H-BAG	Storage case for Headzone PRO.	TBA	TBA

Professional Headphones			
DT100-400B	Studio headphones, 400 ohm, closed systems, with cable K 100.07 (3m, stereo jack), black	344.00	446.00
DT100-400G	Studio headphones, 400 Ω, closed systems, with cable K 100.07 (3m, stereo jack), grey	344.00	446.00
DT102-400G	Studio headphones (single-ear), 400 Ω, closed systems, with cable K 100.07 (3m, stereo jack), grey	246.00	318.00
DT150-250B	Studio headphones, 250 Ω, closed systems, with cable K 100.07 (3m, stereo jack), charcoal-grey	354.00	458.00
DT231-PRO	DT-231 Pro Studio headphones, 32 ohms, closed systems, single sided cable K 231.30/07, mini-jack / 1/4" adapter	90.00	117.00
DT250-80	Studio headphones, 80 Ω, closed systems, with coiled cable WK 250.30/07, stereo mini-jack / 1/4" adapter	377.00	488.00
DT250-250	Studio headphones, 250 Ω, closed systems, with coiled cable WK 250.30/07, stereo mini-jack / 1/4" adapter	377.00	488.00
DT252-80	Studio headphones (single-ear), 80 Ω, closed systems, with coiled cable WK 250.30/07, stereo mini-jack / 1/4"	277.00	359.00
DT770PRO8	Studio headphones, 80 Ω, closed systems, straight single sided cable, with stereo mini-jack / 1/4" adapter	383.00	495.00
DT770-PRO	DT-770 Pro Studio headphones, 250 ohms, closed systems, single sided coiled cable WK 770.07 with stereo jack / 1/4" adapter	358.00	463.00
DT770-M	DT-770 Pro Live headphones. 105dB Max SPL with 35dBa isolation, single sided straight 3m cable with stereo jack / 1/4" adaptor	442.00	572.00
DT990-PRO	DT-990 Pro Studio headphones, 250 ohms, open systems, single sided coiled cable WK 990.07 with stereo jack / 1/4" adaptor	397.00	514.00
Professional Headsets			
DT108-BLK	Single-ear headset, 200/50 ohm, black, without cable	285.00	369.00
DT108-GR	Single-ear headset, 200/50 ohm, grey, without cable	299.00	387.00
DT109-BLK	Headset, 200/50 ohm, black, without cable	381.00	493.00
DT109-GR	Headset, 200/50 ohm, grey, without cable	399.00	516.00
DT190-GR	Headset, 200/250 ohm, charcoal-grey, without cable	480.00	622.00
DT234-PRO	Headset, 32 Ohms, closed systems, unidirectional mic, 2x 3.5mm stereo jack, includes 1/4" adapter	182.00	235.00
DT280-80	Single-ear headset, 200/80 ohm, with dynamic microphone (hypercardioid), without cable	363.00	470.00
DT280-250	Single-ear headset, 200/250 ohm, with dynamic microphone (hypercardioid), without cable	363.00	470.00
DT290-80	Headset, 200/80 ohm, with dynamic microphone (hypercardioid), without cable	417.00	539.00
DT290-250	Headset, 200/250 ohm, with dynamic microphone (hypercardioid), without cable	417.00	539.00
DT291-80	Headset, 80 ohm, with condenser microphone (omni directional), for phantom power, without cable	490.00	635.00
DT297-80	Headset, 80 ohm, with condenser microphone (cardioid), for phantom power, without cable	480.00	622.00
DT297-250	Headset, 250 ohm, with condenser microphone (cardioid), for phantom power, without cable	480.00	622.00
DT297V-80	Headset, 80 ohm, with condenser microphone (cardioid) and built-in pre-amplifier, without cable	480.00	622.00
Connecting Cables			
K1090015M	Connecting cable for DT108/109 series headsets with free ends (standard cable). 1.5m	55.00	72.00
K109003M	Connecting cable for DT108/109 series headsets with free ends. 3m	63.00	81.00
K1092815M	Connecting cable for DT108/109 series with 4-pin XLR female	90.00	117.00
K1094015M	Connecting cable for DT108/109 series with 3-pin XLR male and 1/4" jack	113.00	146.00
K1094215M	Connecting cable for DT108/109 series with 4-pin XLR male	90.00	117.00
K1900015M	Connecting cable for DT 18*/19*/28*/29*-series with free ends (standard cable)	63.00	81.00
K190003M	Connecting cable for DT 18*/19*/28*/29*-series with free ends	68.00	88.00
K1902815M	Connecting cable for DT 18*/19*/28*/29*-series with 4-pin XLR female	101.00	131.00
K1904015M	Connecting cable for DT 18*/19*/28*/29*-series with 3-pin XLR male and 1/4" stereo jack	113.00	146.00
WK109-00	Coiled connecting cable for DT108/109 series headsets with free ends	77.00	99.00
WK19000	Coiled connecting cable for DT 18*/19*/28*/29*-series with free ends	133.00	172.00
WK2503007	Coiled connecting cable for DT 250/252 with stereo mini-jack / 1/4" adaptor	66.00	86.00
Headphone & Headset Accessories & Spare Parts			
EDTDX10	Earpad set, rubber, grey, for DTX 10	15.00	20.00
EDTDX20	Earpad set, rubber, black, for DTX 20	15.00	20.00
EDTDJX1	Ear cushions pair, soft skin, for DJX-1	33.00	43.00
EDT100P	Ear cushions pair, plush, black, suitable for the tropics, for DT 100/102/108/109	33.00	43.00
EDT100S	Ear cushions pair, soft skin, for DT 100/102/108/109	33.00	43.00
EDT100T	Ear cushions pair, cotton jersey, black, for the tropics, for DT 100/102/108/109	33.00	43.00
EDT150S	Ear cushions pair, soft skin, for DT 150/18*/19*	43.00	56.00
EDT250S	Ear cushions pair, soft skin, for DT 25*/28*/29*	33.00	43.00
EDT250V	Ear cushions pair, velour's, for DT 25*/28*/29*	33.00	43.00
EDT330S	Ear cushions pair, soft skin, for DT 330/660/770/770Pro	33.00	43.00
EDT440	Ear cushion pair, for DT440/860	27.00	35.00
EDT770V	Ear cushions pair, velour's, for DT 511/770/770Pro/801/831 and DT 901	43.00	56.00
EDT990V	Ear cushions pair, velour's, for DT 531/811/880M/911/931/990 and DT 990Pro	43.00	56.00
EDT2	Ear cushions pair, 5 pairs-set, for DT 2	18.00	23.00
EDT48R	Ear cushions pair, rubber, for DT 48 A.00	53.00	68.00
EDT48S	Ear cushions pair, soft skin, for DT 48	39.00	51.00
EDT131T	Ear cushions pair, cotton jersey, for DT 131/131TV	23.00	30.00
EDT200S	Ear cushions pair, soft skin, for DT 200/209	33.00	43.00
EDT231V	Ear cushions pair, velour's, for DT 231/234Pro	33.00	43.00
EDT550S	Ear cushions pair, soft skin, for DT 550/770M/880/880S	33.00	43.00
EDT700RSX	Ear cushions pair, velour's, for RSX700	23.00	30.00

MCS 20 Wired Conference System			
MCS-20 Series			
MCS20	Central power supply for up to 75 microphone units (expandable). Audio input and output. 19" housing, 1 RU	1,833.00	2,372.00
MCS223	Chairman Desk Unit with mic and speaker. Priority switch and choice of four operating modes	823.00	1,065.00
MCS221	Delegate Desk Unit with mic and speaker and headphone output	550.00	712.00
MCS-50 Digital Wired Conference Systems			
MCS-50 Series			
MCS50	MCS Central control unit to operate up to 32 delegate units, 19" housing, 2 RU	4,572.00	5,917.00
MCS50-64	Central control unit to operate up to 64 delegate units, 19" housing, 2 RU	4,916.00	6,361.00
MCS521	Delegate's microphone unit c/w condenser gooseneck mic, illuminated ring and loudspeaker, connector	776.00	1,004.00
MCS523	Chairman's microphone unit c/w condenser gooseneck mic, illuminated ring and loudspeaker, connector	821.00	1,063.00
MCS511	Digitally controlled delegate's microphone unit, incl. condenser gooseneck mic and illuminated ring, connecting cable with 15-pin Sub-D connector, without loudspeaker	638.00	825.00
MCS513	Digitally controlled chairman's microphone unit, incl. condenser gooseneck mic and illuminated ring, connecting cable with 15-pin Sub-D connector, without loudspeaker	684.00	886.00
MCS553L	Digitally controlled delegate or chairman system unit for mounting under the table, with condenser gooseneck mic SHM 214, illuminated ring, cover ring, removable terminal board for remote Mic/Clear/Prior-button, red/green LED, loudspeaker, 15-pin SUB-D connector.	951.00	1,231.00
MCSControl	Windows application Software for digital conference system	3,408.00	4,410.00
Accessories For MCS-50 Series			
CA1000	MCS connecting cable, available per meter	4.00	6.00
CA1220	Loudspeaker for system units MCS 553L or MCS 563L	203.00	263.00
CA1241	Piezo-switch for system units MCS 553 or MCS 563, dual color ring	211.00	273.00
CA1502	Connecting cable, 15-pin Sub-D connector, 2.5m	88.00	114.00
CA1510	Connecting cable, 15-pin Sub-D connector, 10m	180.00	233.00
CA1513	Adapter (1 in 3 out), 15-pin Sub-D connector, 1-3	180.00	233.00
CA1521	Connecting panel, 1 x 15-pin Sub-D connector	110.00	142.00
CA1522	Connecting panel, 2 x 15-pin Sub-D connector	137.00	177.00
MCS10	Transport case MCS Conference System	1,807.00	2,339.00
MCS-D200 Digital Wired Conference Systems			
MCS-D 200 Series			
MCSD200	Digital Central control unit to operate with 54 free programmable audio channels and up to 1.400 microphone units in the "NetRateBus" conference network, 19" housing, 2 HU	7,694.00	9,957.00
MCSD2073	Digital President/Delegate microphone unit with display, channel selector, voting and 2-way loudspeaker, "NetRateBus" conference network with 54 free programmable audio channels, gooseneck microphone 400mm with illuminated ring, Push-Pull connection	1,724.00	2,231.00
MCSD3121	Revolutio delegate station with microphone button.	2,225.00	2,880.00
MCSD3123	Revolutio chairman station with microphone button, prior and clear button.	2,337.00	3,024.00
MCSD3171	Revolutio delegate station with microphone button, language selector, voting buttons and display.	2,559.00	3,312.00
MCSD3173	Revolutio chairman station with microphone button, language selector, voting buttons, display and prior and clear buttons.	2,737.00	3,542.00
ICNSBasic	Basic software module based on MS Windows, including conferences and resources manager, database and speaker list, conference pre-configuration, database conversion, conference data display. The basic module provides all standard options only.	POA	POA
ICNSAgenda	ICNS Option Module Agenda	4,506.00	5,831.00
ICNSChipCard	ICNS Option Module Chip-Card for ID-Operation	5,041.00	6,523.00
ICNSMessage	ICNS Option Module Message	4,246.00	5,495.00
ICNSVoting	ICNS Option Module Voting	5,279.00	6,832.00
CA4100	Second internal power supply for control unit for 15 additional microphone units	2,202.00	2,850.00
CA4115	Power supply for 15 microphone units, "NetRateBus" conference network, 4 x Push-Pull connection, 19" housing, 2 HU	3,847.00	4,979.00
CA4130	Power supply for 30 microphone units, "NetRateBus" conference network, 4 x Push-Pull connection, 19" housing, 2 HU	5,174.00	6,696.00
CA4145	Power supply for 45 microphone units, "NetRateBus" conference network, 4 x Push-Pull connection, 19" housing, 2 HU	6,501.00	8,413.00
CA4210	Digital monitor switch for redundancy operation of the control unit, "NetRateBus" conference network, 3 x Push-Pull connection	6,501.00	8,413.00
CA4235	6-pin Push-Pull cable-connector, male	82.00	106.00
CA4236	6-pin Push-Pull socket, female	72.00	94.00
CA4300	Cable for "NetRateBus" conference network installation. Price per meter.	21.00	28.00
CA4302	Connecting cable for "NetRateBus" conference network, Push-Pull connector, 2m	160.00	207.00
CA4305	Connecting cable for "NetRateBus" conference network, Push-Pull connector, 5m	191.00	248.00
CA4310	Connecting cable for "NetRateBus" conference network, Push-Pull connector, 10m	246.00	318.00
CA4320	Connecting cable for "NetRateBus" conference network, Push-Pull connector, 20m	349.00	452.00
CA4710	ID chip card for identification for MCS-D microphone units	26.00	33.00
CA4715	Telephone headset with cable and RJ22 connector for MCS-D microphone units	504.00	652.00
CA4771	ID chip-card reader for MCS-D microphone units	317.00	410.00
CA4772	Voice control option for MCS-D 2073	266.00	344.00
CA4773	Second channel selector option for MCS-D 2073	343.00	444.00
CA4775	Transport case for up to 10 x MCS-D 2073	2,627.00	3,399.00

MCW Digital Wireless Conference Systems				
MCW-D50 Series				
MCWD50	MCW Digital central control unit, DSSS - Direct Sequence Spread Spectrum, 2.4 GHz, 3 simultaneous talk channels, 19"-housing, 2 RU, Requires 3 x CA2411 antenna.		9,146.00	11,836.00
MCWD50-9	MCW Digital central control unit, DSSS - Direct Sequence Spread Spectrum, 2.4 GHz, 9 simultaneous talk channels, 19"-housing, 2 RU, Requires 3 x CA2411 antenna.		11,428.00	14,790.00
MCWD521	Delegate microphone unit with integrated transceiver (2.4 GHz, DSSS - Direct Sequence Spread Spectrum), antenna, battery and loudspeaker.		2,055.00	2,660.00
MCWD523	Chairman's microphone unit with integrated transceiver (2.4 GHz, DSSS - Direct Sequence Spread Spectrum), antenna, battery and loudspeaker.		2,169.00	2,807.00
CA2411	Angled rod antenna 2.4 GHz, N(HF) plug. 3 required		99.00	129.00
Accessories For MCW-D50 Series				
CA2411	Angled rod antenna 2.4 GHz, N(HF) plug. 3 required		99.00	129.00
CA2412	Rod antenna 2.4 GHz		162.00	210.00
CA2413	Planar antenna 2.4 GHz		417.00	539.00
CA2430	Cable with low attenuation, 2.4 GHz, price per meter		14.00	18.00
CA2431	Cable with low attenuation, 2.4 GHz, N(HF)-N(HF), 10m		348.00	450.00
CA2432	Cable with low attenuation, 2.4 GHz, N(HF)-N(HF), 20m		463.00	600.00
CA2435	N-HF plug for low attenuation cable		47.00	61.00
CA2436	N-HF socket for low attenuation cable		47.00	61.00
CA2441RT	Antenna amplifier 2,4 GHz for receiving and transmitting, max. 6dBm Input (12dB gain)		653.00	845.00
CA2441T	Antenna Booster 2,4 GHz for transmitting, max. 20dBm Input (9dB gain), powered 5V via antenna cable.		677.00	877.00
CA2457	Single charger and power supply for 1 microphone unit of MCW-D 50 series, with connecting cable and DC connector		207.00	268.00
CC10	Charging and transport case for MCW-D 50 microphone units, consists of top cover CT 10, charging unit CD 10, base plate CW 10		4,661.00	6,031.00
CD10	Charging unit for up to 10 MCW-D 50 microphone units		4,193.00	5,426.00
CS10	Storage unit for MCW-D 50 control unit or accessories		479.00	619.00
CT10	Top cover for charging and transport Case CC 10		230.00	298.00
CW10	Base plate with trolley wheels for CC 10		370.00	479.00
MCWD50C	License for Windows application software for digital wireless conference system. Only for MCW-D 50 control unit.		1,142.00	1,477.00
MCW-D200 Series				
MCWD200	MCWD-200 Digital Central Control Unit, DSSS - Direct Sequence Spread Spectrum, 2.4 GHz, 4 x audio channels standard (3 Del + 1 Chair), expandable. Requires 3 x CA2411 antenna		15,266.00	19,756.00
MCWD2021	Delegate microphone unit with integral transceiver, 2.4GHz		3,200.00	4,142.00
MCWD2023	Chairman microphone unit with integral transceiver, 2.4GHz		3,314.00	4,289.00
MCWD2071	Delegate microphone unit with LCD display and integral transceiver, 2.4GHz		3,886.00	5,029.00
MCWD2073	Chairman microphone unit with LCD display and integrated transceiver, 2.4 GHz		4,115.00	5,325.00
MCWD200C	Windows application software for digital wireless conference system. Only for MCW-D 200 control unit.		1,370.00	1,773.00
MCWD200V	Windows software for Voting with the wireless conference system. Only for MCW-D 200 control unit.		5,719.00	7,401.00
MCSD200	Control unit with integrated power supply for up to 15 microphone stations. Integrated audio interface and connection		7,694.00	9,957.00
Accessories For MCW-D200 Series				
CA2411	Angled rod antenna 2.4 GHz, N(HF) plug. 3 required		99.00	129.00
CA2412	Rod antenna 2.4 GHz		162.00	210.00
CA2413	Planar antenna 2.4 GHz		417.00	539.00
CA2430	Cable with low attenuation, 2.4 GHz, price per meter		14.00	18.00
CA2431	Cable with low attenuation, 2.4 GHz, N(HF)-N(HF), 10m		348.00	450.00
CA2432	Cable with low attenuation, 2.4 GHz, N(HF)-N(HF), 20m		463.00	600.00
CA2435	N-HF plug for low attenuation cable		47.00	61.00
CA2436	N-HF socket for low attenuation cable		47.00	61.00
CA2441RT	Antenna amplifier 2,4 GHz for receiving and transmitting, max. 6dBm Input (12dB gain)		653.00	845.00
CA2441T	Antenna Booster 2,4 GHz for transmitting, max. 20dBm Input (9dB gain), powered 5V via antenna cable.		677.00	877.00
CA2450	Optional pcb for 1 transmitting/1 receiving channel 2.4 GHz DSSS		2,329.00	3,014.00
CA2451	Optional pcb for individual Audio In/Out		1,280.00	1,657.00
CA2455	Power supply with connecting cable and multipin plug		256.00	331.00
CA2456	Single charger for one unit, with connecting cable and multipin plug for MCW-D		301.00	389.00
MCWD10	Charging and transport unit for 10 x MCW-D microphone units, comprises LED10, LD10 & LB10		6,456.00	8,355.00
LA10	Empty compartment for MCW-D200 control unit		468.00	605.00
LB10	Base plate with trolley wheels		364.00	471.00
LD10	Top cover for charging and transport case		227.00	294.00
LED10	Charging unit for 10 MCW-D microphone units		6,015.00	7,784.00

Simultaneous Interpretation System			
SIS1202	Interpreter Double Console for up to 12 interpreter channels with LC-display, SIS network connection, direct-output-dial and tone control with EarPatron protective circuit for Headset.	5,086.00	6,582.00
SIS121	Central control unit with SIS network connection, RJ-45 for CAT-5 cable and 5.5" touch screen panel for system configuration. 19"-housing, 3 HU. Equipped with 1 output module for 4 channels output, expandable.	11,562.00	14,962.00
SIS122	Central control unit with SIS network connection, RJ-45 for CAT-5 cable and 5.5" touch screen panel for system configuration. 19"-housing, 3 HU. Equipped with 2 output modules for 8 channels output, expandable.	12,487.00	16,160.00
SIS123	Central control unit with SIS network connection, RJ-45 for CAT-5 cable and 5.5" touch screen panel for system configuration. 19"-housing, 3 HU. Equipped with 3 output modules for 12 channels output, expandable.	12,380.00	16,022.00
CA3101	CAT-5 cable with crush resistant RJ-45 metal connector, length 1m	123.00	160.00
CA3105	CAT-5 cable with crush resistant RJ-45 metal connector, length 5m	206.00	266.00
CA3110	CAT-5 cable with crush resistant RJ-45 metal connector, length 10m	289.00	374.00
CA3125	Connector cable MCW-D to SIS, length 1.50m, 25-pin SUB-D connector to 25-pin SUB-D connector	297.00	384.00
CA3201	Output splits cable, length 3m, 15-pin SUB-D connector to XLR connector (male)	366.00	473.00
CA3204	4-channel output module for SIS central control unit	1,190.00	1,540.00
DT394SIS	Headset, 40 Ω, condenser mic (cardioid), cable with 3-pin XLR male and 1/4" stereo jack	629.00	814.00
Steno-S			
STENOS-P	Conference and Recording Software for PC with WindowsXP, RS 232 controlled	2,309.00	2,989.00
STENOS-C	Conference and Recording Software for PC with WindowsXP, RS 232 controlled. Connecting with MCS or MCW-D Conference Systems.	3,005.00	3,889.00
STA-22	Headphone for PC, 2.5m cable with volume control and mini-jack	49.00	64.00
STA-33	PC-Foot control for steno-s Player, RS 232-connection	262.00	339.00
STA-33USB	PC-Foot control for steno-s Player, RS 232/USB-connection	346.00	448.00
Mixers			
MIX10NG2	Presentation mixer. 6 balanced mic and 4 stereo line inputs with phantom power. Stereo and Aux outputs. RS232 control of all channels.	1,286.00	1,664.00